





## D/S CLOSING UNIT / ACCUMULATOR

**\$8,750.00**





**BOP CONTROL SYSTEM**

TYPE :

NUMBER OF OBJECTS CONTROLLED :

USEFUL LIQUID VOLUME OF ACCUMULATORS :  U.S. gal

NOMINAL OPERATING PRESSURE : 3000psi

ACCUMULATOR NITROGEN PRECHARGE PRESSURE : 1000psi

ELECTRIC PUMP DELIVERY :  U.S. gal/min

MOTOR POWER :  Kw

VOLTAGE AND FREQUENCY :  VAC  HZ

LIQUID DELIVERY PER AIR PUMP :  mL/stroke

AIR SUPPLY PRESSURE : 114psi

AIR CONSUMPTION PER PUMP : 114cuyd/min

EXECUTIVE PRODUCTION STANDARD NUMBER : SY/T 5053.2-2007

PRODUCTION PERMIT NUMBER :

API SPEC 16D LICENSE NUMBER :

SIZE :  X  IN WEIGHT :  lb

GUANGDONG GUANGZHOU PETROLEUM MACHINERY FACTORY

SERIAL NUMBER :  DATE OF SHIPMENT :

**SAFETY INSTRUCTION OF CONTROL SYSTEM FOR SURFACE MOUNTED BOP STACKS**

1. BEFORE POWER SUPPLY, IT MUST BE NOTED THAT POWER SOURCE MATCH WITH NOMINAL VOLTAGE, FREQUENCY OF THE UNIT AND THERE MUST BE ENOUGH RESERVE CAPACITY, OTHERWISE, IT MIGHT BE DAMAGE THE ELECTRIC ELEMENTS OF THE UNIT.



## PRODUCT DESCRIPTION

### DS Closing Unit / Accumulator

- ( 3 station/ 6 bottle)
  - skid mounted
- 3,000 PSI Operating Pressure
- Dual Electric pumps= Triplex & Air
- Dimensions: 9'L x 7'T x 5'6W 4,400LBS

**SALE PRICE \$8,750.00**

<https://youtube.com/shorts/P12jhAvdFh0?feature=share>

## ADDITIONAL INFORMATION

<b>Color</b>	Red
<b>Condition</b>	Good
<b>Location</b>	Moab Utah
<b>Manufacturer</b>	DS (Dung Su) Chinese
<b>Title</b>	Bill of Sale